Table 1a. Estimated percentages of adults who consumed any beer, wine, or distilled spirits on a given day; United States, 2003-2006

Sex and	Any alcoholic				Distilled spi	rits
age (yr)	beverage	Beer	Wine	All	Straight	Mixed drinks
	%	%	%	%	%	%
Men	32.8	23.4	6.0	8.7	1.8	7.1
Women	17.4	7.0	6.6	5.3	1.9	3.5

Table 1b. Estimated percentage of adults who consumed any alcoholic beverage at least once in the past 12 months, United States, 2003-2006

Sex and age (yr)	Any alcoholic beverage
	%
Men	76.3
Women	65.3

Table 2a. Estimated distribution of alcoholic beverage consumption on a given day; United States, 2003-2004

Sex and		Number of drink equivalents									
age (yr)		0	1	2	3	4	5	6	7	8 or more	
	Mean	%	%	%	%	%	%	%	%	%	
Men	1.3	65.9	8.3	6.8	5.8	4.1	2.2	2.3	1.0	3.6	
		0	1	2	3	4	5	6 or more			
Women	0.4	80.9	10.0	3.1	2.1	1.6	0.7	1.5			

Table 2b. Estimated distribution of average daily consumption of alcoholic beverages; United States, 2003-2006

Sex and		Number of drinks							
age (yr)	)	0	1	2	3	4	5 or more		
	Mean	%	%	%	%	%	%		
Men	0.8	23.7	60.0	7.7	4.4	1.6	2.6		
		0	1	2	3	4 or more	е		
Women	0.2	34.7	61.5	2.3	0.9	0.6			

Table 2c. Estimated distribution of average alcoholic beverage consumption by adults on days they drank; United States, 2003-2006

Sex and		Number of drinks								
age (yr)		1	2	3	4	5	6 or more			
	Mean	%	%	%	%	%	%			
Men	3.3	25.4	27.6	16.1	9.4	5.0	16.5			
		1	2	3	4	5 or more	)			
Women	2.1	43.1	30.6	13.1	6.4	6.8				